Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

XTREME SAE 30 - Oil for Agricolture Macchine

SEC1	TION 1: IDENTIFICATION OF TH	E SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	XTREME SAE 30 - Oil for Agricolture Macchine				
	Other means of identification:					
	Non-applicable					
1.2	Relevant identified uses of the	substance or mixture and uses advised against:				
	Relevant uses: Lubricant. For professional users only.					
	Uses advised against: All uses not specified in this section or in section 7.3					
1.3	Details of the supplier of the sa	fety data sheet:				
	AXXONOIL SRL CIRC. CLODIA 36/B 00195 ROME - LAZIO - ITALY Phone: +390824947522 info@axxonoil.com www.axxonoil.com					
1.4	Emergency telephone number:	Attive 24 hours a day:				
		+39-06-68593626-CAV "Osp.Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA- Rome 800-183-459-CAV Azienda Ospedaliera Università di Foggia-Foggia +39-081-545-3333/081-747-2870-Centro Antiveleni AORN Antonio Cardarelli-Naples +39-06-4997-8000-CAV Policlinico "Umberto I"-Rome +39-06-305-4343-CAV Policlinico "A.Gemelli"- Rome +39-055-794-7819-CAV Azienda Osp. "Caregg" U.O. Tossicologia Medica-Florence +39-0382-24-444 -CAV Centro Nazionale di Informazione Tossicologica-Pavia +39-02-66-1010-29-CAV Ospedale Niguarda Ca'Granda-Milan 800-88-33-00-CAV Azienda Ospedaliera Papa Giovanni XXIII-Bergamo				

800-011-858-CAV Centro Antiveleni Veneto-Verona

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture: Chemical description: Mineral oil Components:

** Changes with regards to the previous version

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

XTREME SAE 30 - Oil for Agricolture Macchine

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
		Phenol, dodecyl-, sul	furized, carbonates, calcium salts, overbased ⁽¹⁾	Self-classified	
EC: 272-234-3 Index: Non-applicable REACH: 01-2119524004-56- XXXX	Non-applicable 01-2119524004-56-	Regulation 1272/2008	Aquatic Chronic 4: H413; Repr. 2: H361 - Warning	\$	<1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °CMaximum time:6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

DNEL (Workers):

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

XTREME SAE 30 - Oil for Agricolture Macchine

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68784-26-9	Dermal	80 mg/kg	Non-applicable	0,5 mg/kg	Non-applicable
EC: 272-234-3	Inhalation	Non-applicable	Non-applicable	3,5 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	Oral	50 mg/kg	Non-applicable	0,25 mg/kg	Non-applicable
CAS: 68784-26-9	Dermal	40 mg/kg	Non-applicable	0,25 mg/kg	Non-applicable
EC: 272-234-3	Inhalation	0,067 mg/m ³	Non-applicable	0,87 mg/m ³	Non-applicable

PNEC:

Identification						
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	STP	100 mg/L	Fresh water	0,5 mg/L		
CAS: 68784-26-9	Soil	8850 mg/kg	Marine water	0,04 mg/L		
EC: 272-234-3	Intermittent	5 mg/L	Sediment (Fresh water)	43500 mg/kg		
	Oral	0,013333 g/kg	Sediment (Marine water)	3480 mg/kg		

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

Pictogram	PPE	Labelling	CEN Standard		Remarks
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	perio recom	ce before any evidence of deterioration ds of prolonged exposure to the produc professional/industrial users CE III is imended, in accordance with the regula EN ISO 20345:2012 y EN 13832-1:200
F Additional emerge	ency measures	1			
Emergency mea	asure	Standards	Emergency meas	sure	Standards
Emergency sho	ISO 3864-1:2	NSI Z358-1 2011, ISO 3864-4:2011	L Eyewash station	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20
Environmental exp	osure controls:				
spillage of both the p Volatile organic co	roduct and its containe mpounds: ive 2010/75/EU, this pr 0,68 15 °C: 5,83	r. For additional inf	ormation see subsectio		nmended to avoid environment
Average molecula		g/mol			
ION 9: PHYSICAL A	AND CHEMICAL PRC	PERTIES			
Information on bas	sic physical and cher	nical properties:			
	ition see the product da				
Appearance:					
Physical state at 20 °	C:	Liquid			
Physical state at 20 ° Appearance:	C:	Liquid Oleagi			
-	C:	Oleagi			
Appearance:	C:	Oleagi	inous		
Appearance: Colour:	C:	Oleagi Ar Charae	inous mber		
Appearance: Colour: Odour:	C:	Oleagi Ar Charae	inous nber cteristic		
Appearance: Colour: Odour: Odour threshold:		Oleagi Ar Charad Non-a	inous nber cteristic		
Appearance: Colour: Odour: Odour threshold: Volatility:	spheric pressure:	Oleagi Ar Charac Non-a Non-a	inous nber cteristic pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmos	spheric pressure: 5 °C:	Oleagi Ar Chara Non-a Non-a Non-a	inous nber cteristic pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1.	spheric pressure: 5 °C: 0 °C:	Oleagi Ar Charae Non-a Non-a Non-a Non-a	inous nber cteristic pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 5.	spheric pressure: 5 °C: 0 °C: 5 °C:	Oleagi Ar Charae Non-a Non-a Non-a Non-a	inous nber cteristic pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1 Vapour pressure at 5 Evaporation rate at 1 Product description	spheric pressure: 5 °C: 0 °C: 5 °C:	Oleagi Ar Charad Non-a Non-a Non-a Non-a	inous nber cteristic pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 5. Evaporation rate at 1 Product description Density at 15 °C:	spheric pressure: 5 °C: 0 °C: 5 °C: n:	Oleagi Ar Charac Non-a Non-a Non-a Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 1. Vapour pressure at 1. Product description Density at 15 °C: Relative density at 15	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C:	Oleagi Ar Charad Non-a Non-a Non-a Non-a Non-a >860 >0,86	inous mber cteristic pplicable * pplicable * pplicable * pplicable * kg/m ³		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 5. Evaporation rate at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C:	Oleagi Ar Charad Non-a Non-a Non-a Non-a Non-a >860 >0,86 Non-a	inous mber cteristic pplicable * pplicable * pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1 Vapour pressure at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C:	Oleagi Ar Charac Non-a Non-a Non-a Non-a >860 >0,86 Non-a Non-a	inous mber cteristic pplicable * pplicable * pplicable * pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 5. Evaporation rate at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C: t 40 °C:	Oleagi Ar Charad Non-a Non-a Non-a Non-a >860 >0,86 Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable * pplicable * pplicable * kg/m ³ pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1 Vapour pressure at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C: t 40 °C:	Oleagi Ar Charac Non-a Non-a Non-a Non-a Non-a >860 >0,86 Non-a Non-a Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable * pplicable * pplicable * pplicable * pplicable * pplicable * pplicable * pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1 Vapour pressure at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration:	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C: t 40 °C:	Oleagi Ar Charac Non-a Non-a Non-a Non-a >860 >0,86 Non-a Non-a Non-a Non-a Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable *		
Appearance: Colour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1 Vapour pressure at 1 Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration: pH:	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C: t 40 °C: t 100 °C:	Oleagi Ar Charac Non-a Non-a Non-a Non-a >860 >0,86 Non-a Non-a Non-a 9,3 - 1 Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable *		
Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 1. Vapour pressure at 1. Product description Density at 15 °C: Relative density at 15 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration: pH: Vapour density at 15	spheric pressure: 5 °C: 0 °C: 5 °C: n: 5 °C: 15 °C: t 15 °C: t 40 °C: t 100 °C:	Oleagi Ar Charac Non-a Non-a Non-a Non-a Non-a Non-a Non-a 9,3 - 1 Non-a Non-a Non-a Non-a	inous mber cteristic pplicable * pplicable *		

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Solubility in water at 15 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	>220 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	260 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 15 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
-									

10.5 Incompatible materials:

•				
Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

XTREME SAE 30 - Oil for Agricolture Macchine

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Residual oils (petroleum), solvent-dewaxed, < 3 % IP 346 (3); Distillates (petroleum), solvent-refined heavy paraffinic, < 3 % IP 346 (3); Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (3); Distillates (petroleum), hydrotreated heavy paraffinic, < 3 % IP 346, > 20,5 cSt @ 40°C (3); Distillates (petroleum), solvent-dewaxed heavy paraffinic, < 3% DMSO (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

XTREME SAE 30 - Oil for Agricolture Macchine

SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

New declared substances

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

- LD50: Lethal Dose 50
- LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.