SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
1.1	Product identifier:	XTREME HYDRO 100 - Hydraulic Fluid			
	Other means of identification:				
	Non-applicable				
1.2	Relevant identified uses of the substance or mixture and uses advised against:				
	Relevant uses: Hydraulic mineral-based oils. For professional users only.				
	Uses advised against: All uses not s	pecified in this section or in section 7.3			
1.3	Details of the supplier of the sa	fety data sheet:			
	AXXONOIL SRL CIRC. CLODIA 36/B 00195 ROME - LAZIO - ITALY Phone: +390824947522 info@axxonoil.com www.axxonoil.com				
1.4	Emergency telephone number:	Attive 24 hours a day:			
		+39-06-68593626-CAV "Osp.Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA- Rome 800-183-459-CAV Azienda Ospedaliera Università di Foggia-Foggia +39-081-545-3333/081-747-2870-Centro Antiveleni AORN Antonio Cardarelli-Naples +39-06-4997-8000-CAV Policlinico "Umberto I"-Rome +39-06-305-4343-CAV Policlinico "A.Gemelli"- Rome +39-055-794-7819-CAV Azienda Osp. "Caregg" U.O. Tossicologia Medica-Florence +39-0382-24-444 -CAV Centro Nazionale di Informazione Tossicologica-Pavia +39-02-66-1010-29-CAV Ospedale Niguarda Ca'Granda-Milan 800-88-33-00-CAV Azienda Ospedaliera Papa Giovanni XXIII-Bergamo 800-011-858-CAV Centro Antiveleni Veneto-Verona			

# SECTION 2: HAZARDS IDENTIFICATION \*\*

# 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

### Precautionary statements:

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Mineral oil

### Components:

None of the substances contained in the mixture are above the limits specified in Annex II of Regulation (EC) No 1907/2006

#### Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **XTREME HYDRO 100 - Hydraulic Fluid**

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

# By inhalation:

In case of symptoms, move the person affected into fresh air.

### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

### By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

### By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

# Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

#### For emergency responders:

See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

#### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °CMaximum time:6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

# DNEL (Workers):

Non-applicable

# DNEL (General population):

Non-applicable

PNEC:

Non-applicable

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage prolonged periods of exposure to the produc professional users/industrials, we recommend CE III gloves in line with standards EN 420:2 A1:2010 and EN ISO 374-1:2016+A1:201
As		a mixture of several subs	tances, the res	I istance of the glove mate	erial can not be calculated in advance w
to	tal reliability an	d has therefore to be chee			
D Ey	e and face prot				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically accordin the manufacturer's instructions. Use if there risk of splashing.
E Bo	ody protection	<u> </u>		1	
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration periods of prolonged exposure to the produc professional/industrial users CE III is recommended, in accordance with the regula in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration periods of prolonged exposure to the produc professional/industrial users CE III is recommended, in accordance with the regula in EN ISO 20345:2012 y EN 13832-1:200
			or the protecti	on of the environment it	is recommended to sweid environments
spillag Volat With r V. V.	ge of both the p cile organic co regard to Direct O.C. (Supply): O.C. density at	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % v 15 °C: 0 kg/r	For additional i luct has the fol veight n <sup>3</sup> (0 g/L)	nformation see subsectio	is recommended to avoid environmenta n 7.1.D
spillag Volat With r V. V. Av	ge of both the p cile organic co regard to Direct O.C. (Supply):	product and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a	For additional i luct has the fol veight	nformation see subsectio	
spilla <u>c</u> Volat With I V. V. Av	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula	product and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a	For additional i luct has the fol veight n <sup>3</sup> (0 g/L) pplicable pplicable	nformation see subsectio	
spillag Volat With I V. V. Av Av ION 9	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula <b>:</b> PHYSICAL	product and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a	For additional i luct has the fol veight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES	nformation see subsectio lowing characteristics:	
spillag Volat With I V. V. Av ION 9 Infor	ge of both the p regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula : PHYSICAL / mation on base	AND CHEMICAL PROP	For additional i luct has the fol weight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties	nformation see subsectio lowing characteristics:	
spillag Volat With I V. V. A A ION 9 ION 9	ge of both the p regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula : PHYSICAL / mation on base	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r humber: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic	For additional i luct has the fol weight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties	nformation see subsectio lowing characteristics:	
spillag Volat With I V. V. Av Av ION 9 Infor For cc Appe	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula <b>: PHYSICAL</b> / <b>mation on ba</b> pmplete informa	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the fol weight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties	nformation see subsectio lowing characteristics: s:	
spillag Volat With 1 V. V. Av Av ION 9 Infor For cc Appe Physic	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula <b>: PHYSICAL</b> / <b>mation on bas</b> omplete informa <b>arance:</b>	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the folveight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties sheet.	nformation see subsectio lowing characteristics: s:	
spillag Volat With 1 V. V. Av Av ION 9 Infor For cc Appe Physic	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula <b>: PHYSICAL</b> <b>mation on bas</b> omplete informa <b>arance:</b> cal state at 20 ° arance:	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the folveight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties sheet. Liqu Olea	nformation see subsectio lowing characteristics: s:	
spillag Volat With 1 V. V. V. Av Av ION 9 INfor For cc Appea	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon m verage molecula <b>: PHYSICAL</b> / <b>mation on bas</b> omplete informa <b>arance:</b> cal state at 20 ° arance: r:	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the fol- veight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES cal properties sheet. Liqu Olea	nformation see subsectio lowing characteristics: s: id ginous	
spillag Volat With 1 V. V. Av Av ION 9 Infor For cc Appea Colou Odour	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon m verage molecula <b>: PHYSICAL</b> / <b>mation on bas</b> omplete informa <b>arance:</b> cal state at 20 ° arance: r:	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the folveight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES Cal properties sheet. Liqu Olea Char	nformation see subsectio lowing characteristics: s: id ginous Amber	
spillag Volat With 1 V. V. Av Av ION 9 Infor For cc Appea Colou Odour	ge of both the p <b>ile organic co</b> regard to Direct O.C. (Supply): O.C. density at verage carbon n verage molecula <b>: PHYSICAL</b> <b>: PHYSICAL</b> <b>: Mation on bas</b> omplete informa <b>arance:</b> cal state at 20 ° arance: r: r: r: r: r: r: r: threshold:	broduct and its container. Formpounds: tive 2010/75/EU, this prod 0 % w 15 °C: 0 kg/r number: Non-a ar weight: Non-a AND CHEMICAL PROP sic physical and chemic ation see the product data	For additional i luct has the folveight n <sup>3</sup> (0 g/L) pplicable pplicable ERTIES Cal properties sheet. Liqu Olea Char	nformation see subsectio lowing characteristics: s: id ginous Amber racteristic	

Boiling point at atmospheric pressure: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)			
	Vapour pressure at 15 °C:	Non-applicable *			
	Vapour pressure at 50 °C:	Non-applicable *			
	Evaporation rate at 15 °C:	Non-applicable *			
	Product description:				
	Density at 15 °C:	881 kg/m³			
	Relative density at 15 °C:	0,88			
	Dynamic viscosity at 15 °C:	Non-applicable *			
	Kinematic viscosity at 15 °C:	Non-applicable *			
	Kinematic viscosity at 40 °C:	100 mm²/s			
	Kinematic viscosity at 100 °C:	11,4 mm²/s			
	Concentration:	Non-applicable *			
	pH:	Non-applicable *			
	Vapour density at 15 °C:	Non-applicable *			
	Partition coefficient n-octanol/water 15 °C:	Non-applicable *			
	Solubility in water at 15 °C:	Non-applicable *			
	Solubility properties:	Non-applicable *			
	Decomposition temperature:	Non-applicable *			
	Melting point/freezing point:	Non-applicable *			
	Flammability:				
	Flash Point:	>235 °C			
	Flammability (solid, gas):	Non-applicable *			
	Autoignition temperature:	260 °C			
	Lower flammability limit:	Non-applicable *			
	Upper flammability limit:	Non-applicable *			
	Particle characteristics:				
	Median equivalent diameter:	Non-applicable			
9.2	Other information:				
	Information with regard to physical hazard classes:				
	Explosive properties:	Non-applicable *			
	Oxidising properties:	Non-applicable *			
	Corrosive to metals:	Non-applicable *			
	Heat of combustion:	Non-applicable *			
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *			
	Other safety characteristics:				
	Surface tension at 15 °C:	Non-applicable *			
	Refraction index:	Non-applicable *			
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.			

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **XTREME HYDRO 100 - Hydraulic Fluid**

# SECTION 10: STABILITY AND REACTIVITY (continued)

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

## 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

LD50 oral > 2000 mg/kg (rat)

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met
  - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met

IARC: Residual oils (petroleum), solvent-dewaxed, < 3 % IP 346 (3); Distillates (petroleum), hydrotreated heavy paraffinic, < 3 % IP 346, > 20,5 cSt @ 40°C (3); Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (3); Distillates

- (petroleum), solvent-dewaxed heavy paraffinic, < 3% DMSO (3)
  - Mutagenicity: Based on available data, the classification criteria are not met
- Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met
  - Skin: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
  - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Not available

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

# **11.2** Information on other hazards:

# Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

- 12.2 Persistence and degradability:
- Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available
- **12.5** Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria
- **12.6 Endocrine disrupting properties:** Endocrine-disrupting properties: The product fails to meet the criteria.
- 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils	Non dangerous

# Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **XTREME HYDRO 100 - Hydraulic Fluid**

# SECTION 15: REGULATORY INFORMATION (continued)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Precautionary statements

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

#### Classification procedure:

Non-applicable

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

# Abbreviations and acronyms:

# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.